

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| - | 14 | (unsolicit\$3 adj (notification or error) adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/14 10:14 |
| - | 2 | ("5600791").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 14:46 |
| - | 1 | BICnum | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/12 14:35 |
| - | 4 | ((error or notification) adj message) or alarm or event or trap) with (ID or identifier) same (operation adj manager) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 14:48 |
| - | 6729 | ((error or notification) adj message) or alarm or event or trap) near5 (ID or identifier) and 2ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/12 14:48 |
| - | 16 | ((error or notification) adj message) or alarm or event or trap) near5 (identifier adj number) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 15:33 |
| - | 279 | identifier with (error adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 10:52 |
| - | 161 | identifier with (error adj message) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:47 |
| - | 2 | ("6445774").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/14 12:31 |
| - | 1 | (error adj message) with (basic adj encod\$3 adj rule) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 14:47 |
| - | 1 | (error adj message) with (encod\$3 adj rule) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 14:47 |
| - | 7138 | ((error or notification) adj message) or alarm or event or trap) with (ID or identifier) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 14:48 |
| - | 1 | identifier with (error adj message) same MIB and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 15:30 |
| - | 0 | ((error or notification) adj message) or alarm or event or trap) adj4 definition\$1! near5 (identifier adj number) with properties and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/13 16:29 |

| | | | | |
|---|-----|--|---|------------------|
| - | 0 | ((error or notification) adj message) or alarm or event or trap) adj4 definition\$1! with (identifier adj number) with properties and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/13 16:29 |
| - | 0 | ((error or notification) adj message) or alarm or event or trap) adj4 definition\$1! with (identifier) with properties and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/13 16:30 |
| - | 35 | ((error or notification) adj message) or alarm or event or trap) with (identifier) with properties and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/13 18:07 |
| - | 7 | pars\$3 adj4((error or notification) adj message) or alarm or event or trap) with (identifier) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/13 18:07 |
| - | 9 | defin\$3 near4 (event or (error adj (message or notification)) or trap or alarm) with (unique adj identifier) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:15 |
| - | 139 | (event or (error adj (message or notification)) or trap or alarm) with (identifier) with descript\$4 and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:27 |
| - | 0 | pars\$3 adj6 (event or (error adj (message or notification)) or trap or alarm) adj6(identifier) same descript\$4 and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:30 |
| - | 129 | (event or (error adj (message or notification)) or trap or alarm) adj6(identifier) same descript\$4 and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:30 |
| - | 3 | pars\$3 adj6 (event or (error adj (message or notification)) or trap or alarm) adj6(identifier) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:33 |
| - | 6 | pars\$3 adj6 (event or (error adj (message or notification)) or trap or alarm) with (identifier) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:34 |
| - | 0 | pars\$3 adj6 (event or (error adj (message or notification)) or trap or alarm) with (identif\$6) with (description or meaning\$1!) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:35 |
| - | 54 | pars\$3 adj6 (event or (error adj (message or notification)) or trap or alarm) with (identif\$6) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:48 |
| - | 1 | (property or properties) adj4 specific adj attributes adj5 ((error or notification) adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:50 |
| - | 1 | specific adj attributes adj5 ((error or notification) adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:50 |

| | | | | |
|---|-----|--|---|------------------|
| - | 89 | attributes adj5 ((error or notification) adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:50 |
| - | 55 | attributes adj5 ((error or notification) adj message) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 11:57 |
| - | 1 | process\$3 adj (error adj message) and (pars\$3 adj4 (error adj message) adj4 (identification adj number) adj5 (most adj3 meaning)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 12:33 |
| - | 2 | (pars\$3 adj4 (error adj message) adj4 (identification adj number) adj5 (most adj3 meaning)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 13:54 |
| - | 0 | meanings near5 rules adj6 (error adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 13:54 |
| - | 1 | meanings near5 rules with (error adj message) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 13:59 |
| - | 5 | meanings near5 rules with (((notification or error) adj message) or alarm or event or trap) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 14:01 |
| - | 28 | meanings with rules with (((notification or error) adj message) or alarm or event or trap) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 15:34 |
| - | 11 | ((709/(223-224).ccls.) and (((identifier or identification or id) near6 (description or meaning\$1!)) near6 (((error or notification) adj message) or alarm))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 15:56 |
| - | 73 | pre-defin\$3 adj5 (((error or notification) adj message) or alarm) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 15:56 |
| - | 13 | (pre-defin\$3 adj5 (((error or notification) adj message) or alarm)) and (709/(223-224).ccls.) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 16:03 |
| - | 46 | (pre-defin\$3 adj5 (((error or notification) adj message) or alarm)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 16:32 |
| - | 158 | defin\$3 adj5 ((error or notification) adj message) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 16:35 |
| - | 7 | defin\$3 adj5 ((error or notification) adj message) same (management) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/09/14 16:44 |

| | | | | |
|---|-----|--|---|------------------|
| - | 0 | fault with occurrence with defin\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/14 16:45 |
| - | 0 | fault same occurrence with defin\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/14 16:45 |
| - | 188 | fault with occurrence with defin\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/14 16:45 |
| - | 158 | (fault with occurrence with defin\$3) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/14 16:46 |
| - | 0 | significant adj5 (error adj message) adj meaning | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 09:56 |
| - | 938 | unsolicited adj3 message | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:53 |
| - | 9 | unsolicited adj3 message with (identifier) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 10:35 |
| - | 140 | (pars\$3 or examin\$5 or check\$3 or determin\$3 or analyz\$3) adj3 ((error or notification) adj message) or event or trap or alarm or warn\$3) adj4 ((identification adj (number or value)) or identifier or id) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 10:50 |
| - | 0 | ((pars\$3 or examin\$5 or check\$3 or determin\$3 or analyz\$3) adj3 ((error or notification) adj message) or event or trap or alarm or warn\$3) adj4 ((identification adj (number or value)) or identifier or id)) and @ad<02210604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 10:50 |
| - | 84 | ((pars\$3 or examin\$5 or check\$3 or determin\$3 or analyz\$3) adj3 (((error or notification) adj message) or event or trap or alarm or warn\$3) adj4 ((identification adj (number or value)) or identifier or id)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 11:51 |
| - | 1 | (pars\$3 or examin\$5 or check\$3 or determin\$3 or analyz\$3) adj3 ((error or notification) adj message) or event or trap or alarm or warn\$3) adj4 ((identification adj (number or value)) or identifier or id) same ((significant adj meaning) or description) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 10:52 |
| - | 0 | ((identification adj number) or identifier) with (most adj significant adj meaning) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 11:52 |
| - | 0 | ((identification adj number) or identifier) with (significant adj meaning) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 11:52 |

| | | | | |
|---|------|---|---|------------------|
| - | 47 | ((identification adj number) or identifier) with (message near3 description) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 12:05 |
| - | 73 | object adj identifier with description and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 12:45 |
| - | 1010 | predefin\$3 adj3 (event or trap or notification or (error adj message)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 12:46 |
| - | 11 | (predefin\$3 adj3 (event or trap or notification or (error adj message))) with ((identification adj (value or number)) or identifier) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:19 |
| - | 43 | pars\$3 adj3 ((error adj message) or (unsolicited adj3 notification)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:28 |
| - | 0 | (identifier adj5 (unsolicited adj3 notification)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:28 |
| - | 61 | (determin\$3 adj6 (meaning or description)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:41 |
| - | 5 | (determin\$3 adj6 (meaning or description)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with (identifier or identification or name or alias or symbol) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:44 |
| - | 8 | (determin\$3 adj6 (meaning or description)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:04 |
| - | 0 | (defin\$3 adj4 (meaning\$1! with rule)) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 14:49 |
| - | 6 | (defin\$3 with ((description or meaning\$1!) with (rule\$1! or policy or policies))) with ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 15:19 |
| - | 13 | (defin\$3 with ((description or meaning\$1!) with (rule\$1! or policy or policies))) same ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) same (identifier or identification or name or alias or symbol) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:41 |
| - | 2 | 20020188715.did. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 12:56 |
| - | 427 | defin\$3 adj5 (properties or property or (error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with (before or prior) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:43 |

| | | | | |
|---|------|---|---|------------------|
| - | 2 | defin\$3 adj5 (properties or property or (error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with (before or prior) with identifier and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:44 |
| - | 0 | defin\$5 near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)with (before or prior) with identifier with (properties or property) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:45 |
| - | 2 | defin\$5 near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) with identifier with (properties or property) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:46 |
| - | 21 | defin\$5 near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) near4 (engineer or expert) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 17:47 |
| - | 55 | ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event) adj4 determin\$3 adj4 (identifier or identification) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:15 |
| - | 2632 | exam\$5 adj3 (property or properties0 adj4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:16 |
| - | 1 | (exam\$5 adj3 (property or properties) adj4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:18 |
| - | 5 | (exam\$5 adj6 (property or properties) adj4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:19 |
| - | 1773 | (identifier\$1! near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:20 |
| - | 9 | (pars\$3 or exam\$8 or scan\$4 or analyz\$5) adj3 (identifier\$1! near4 ((error adj message) or (unsolicited adj3 notification) or alert or alarm or trap or event)) and @ad<20010604 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/09/20 18:20 |
| - | 122 | (pars\$3 or scan\$4 or read\$3 or check\$3) adj6 (event\$1! or ((error or syslog or unsolicited) adj2 (message\$1! or notification\$1!)) or trap\$1! or alarm\$1!) with (((id or identification) adj (number or value)) or identifier\$1!) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/07 17:21 |
| - | 154 | parsing adj code | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/07 15:52 |
| - | 0 | (pars\$3 or scan\$4 or read\$3 or check\$3) adj6 (event\$1! or ((error or syslog or unsolicited) adj2 (message\$1! or notification\$1!)) or trap\$1! or alarm\$1!) with (((id or identification) adj (number or value)) or identifier\$1!) same (pars\$3 adj code\$1!) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/07 16:02 |

| | | | | |
|---|-------|--|---|------------------|
| - | 0 | (pars\$3 or scan\$4 or read\$3 or check\$3) adj6 (event\$1! or ((error or syslog or unsolicited) adj2 (message\$1! or notification\$1!)) or trap\$1! or alarm\$1!) with (((id or identification) adj (number or value)) or identifier\$1!) and (pars\$3 adj code\$1!) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/07 16:10 |
| - | 2 | ("5600791").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/07 16:10 |
| - | 2 | ("6006016").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 13:32 |
| - | 25866 | (process\$3 adj4 ((event or (error adj (message or notification)) or trap or alarm))) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 11:22 |
| - | 337 | ((process\$3 adj4 ((event or (error adj (message or notification)) or trap or alarm))) and @ad<20010406) and (709/224.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 10:49 |
| - | 44 | (process\$3 adj4 ((event or (error adj (message or notification)) or trap or alarm)) with ((correlat\$3 or associat\$3 or match\$3) near4 (identifier or identification))) and @ad<20010406 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 11:23 |
| - | 1 | (identification adj (number or value)) adj4 (identif\$3 or determin\$3) adj4 (pars\$3 adj code\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 13:34 |
| - | 1 | ((number or value)) adj4 (identif\$3 or determin\$3) adj4 (pars\$3 adj code\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 13:34 |
| - | 1 | ((number or value)) adj6 (identif\$3 or determin\$3) adj8 (pars\$3 adj code\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 13:34 |
| - | 8 | (identif\$3 or determin\$3) adj8 (pars\$3 adj code\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 13:43 |
| - | 1 | (identification adj (number\$1! or value\$1!)) with (pars\$3 adj code\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/08 13:44 |
| - | 915 | identifier near4 (properties) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 12:38 |
| - | 490 | (identifier near4 (properties)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 12:38 |
| - | 1 | (error adj message) with (combination\$1! near2 meaning\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 13:49 |

| | | | | |
|---|-----|--|---|------------------|
| - | 0 | (error adj message) near3 defin\$5 with identifier\$1! with (property or properties) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 13:50 |
| - | 0 | (error adj message) with defin\$5 with identifier\$1! with (property or properties) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 13:50 |
| - | 1 | (error adj message) with defin\$5 with identif\$5 with (property or properties) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 13:52 |
| - | 31 | (property or properties) adj3 (associat\$3) adj3 identifier\$1! | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 13:59 |
| - | 12 | ((property or properties) adj3 (associat\$3) adj3 identifier\$1!) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 15:32 |
| - | 822 | (expert or engineer or user) adj3 defin\$3 adj3 (((error or notification) adj message) or alarm or event or trap) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 15:34 |
| - | 566 | (expert or engineer or user) adj3 defin\$6 adj3 (((error or notification) adj message) or alarm or event or trap)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 15:35 |
| - | 0 | (expert or engineer or user) adj3 defin\$6 adj3 (((error or notification) adj message) or alarm or event or trap)) same (identifier\$1! with (properties or property)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 15:36 |
| - | 1 | (expert or engineer or user) adj3 defin\$6 adj3 (((error or notification) adj message) or alarm or event or trap)) and (identifier\$1! with (properties or property)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 15:58 |
| - | 159 | (((error or notification) adj message) or alarm or event or trap\$1!) same (property adj (number or value)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/12 14:54 |
| - | 0 | add\$3 adj6 (identif\$6 adj (number\$1! or value\$1!)) adj5 ((property or properties or attribute\$1!) adj2 (value or number)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 16:33 |
| - | 0 | (increas\$3 or add\$3) adj6 (identif\$6 adj (number\$1! or value\$1!)) adj5 ((property or properties or attribute\$1!) adj2 (value\$1! or number\$1!)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 16:34 |
| - | 0 | (increas\$3 or add\$3) adj6 (identif\$6 adj (number\$1! or value\$1!)) near5 ((property or properties or attribute\$1!) adj2 (value\$1! or number\$1!)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 16:34 |
| - | 1 | (increas\$3 or add\$3) with (identif\$6 adj (number\$1! or value\$1!)) near5 ((property or properties or attribute\$1!) adj2 (value\$1! or number\$1!)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/10/11 17:13 |

| | | | | |
|---|-----|--|---|------------------|
| - | 13 | (increas\$3 or add\$3) with (identif\$6 adj (number\$1! or value\$1!)) near5 ((property or properties or attribute\$1!) near5 (value\$1! or number\$1!)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 17:20 |
| - | 585 | add\$3 adj5 identification adj number\$1! | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 17:21 |
| - | 458 | (add\$3 adj5 identification adj number\$1!) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/11 17:21 |
| - | 0 | add\$3 adj4 (value\$1! or number\$1!) near4 associat\$3 adj5 (properties or property or attribute\$1!) adj5 to | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 13:57 |
| - | 6 | add\$3 adj4 (value\$1! or number\$1!) near4 associat\$3 adj5 (properties or property or attribute\$1!) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:46 |
| - | 317 | add\$3 adj4 (value\$1! or number\$1!) adj5 (identifier or identification) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:54 |
| - | 5 | (add\$3 adj4 (value\$1! or number\$1!) adj5 (identifier or identification)) and (identifier with (error adj message)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:47 |
| - | 0 | (add\$3 adj4 (value\$1! or number\$1!) adj5 (identifier or identification)) and (unsolicited adj3 message\$1!) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:53 |
| - | 0 | (add\$3 adj4 (value\$1! or number\$1!) adj5 (identifier or identification)) and ((error or notification) adj message) or alarm or event or trap\$1!) same (property adj (number or value)) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:54 |
| - | 215 | add\$3 adj4 (value\$1! or number\$1!) adj5 (identifier or identification) and @ad<20010604 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/12 14:54 |